

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	45	("4223540" "4279127" "4689439" "4788502" "4827737" "4884410" "4974113" "5138383" "5235282" "5278503" "5426366" "5596303" "5644855" "5704967" "5731939" "6020803" "6097187" "6147844" "6212904" "6456073" "6680662" "6717781" "6727699" "6753748" "6806712" "6946936" "6990818").PN. OR ("2005/0077898" "2005/0204751" "2007/0182513" "2007/0271933" "2008/0236194" "2008/0242974" "5220800" "7064550" "7157999" "7395671").URPN.	US- PGPUB; USPAT; USOCR
2	IS&R	L3	6539	(335/216,296-299,302- 306).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
3	BRS	L4	885875	removable removeable	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
4	BRS	L5	44239	current near2 lead	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B
5	BRS	L6	87	L4 with L5	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B
6	BRS	L7	10627	superconducting near2 magnet	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
7	BRS	L9	10845	liquid near2 helium	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
8	BRS	L10	193244 0	valve	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
9	BRS	L11	949	L9 same L10	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
10	BRS	L15	14911	(superconduct\$3 or (super adj conduct\$3) or super- conduct\$3) near3 magnet	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB

	Type	L #	Hits	Search Text	DBs
11	BRS	L16	457	(liquid adj helium) with (valve or regulator)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
12	BRS	L17	44	L15 same L16	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
13	BRS	L18	9	("3839689" "4689439" "52208 00").PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
14	BRS	L19	4	L18 and (liquid adj helium)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
15	BRS	L20	3	L18 and (valve or regulator)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
16	BRS	L21	885875	removable removeable	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB
17	BRS	L22	44239	current near2 lead	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB

	Type	L #	Hits	Search Text	DBs
18	BRS	L23	87	L21 with L22	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B
19	IS&R	L26	6539	(335/216,296-299,302-306).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
20	BRS	L27	885875	removable removeable	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
21	BRS	L28	44239	current near2 lead	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B
22	BRS	L29	87	L27 with L28	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B
23	BRS	L31	45	("4223540" "4279127" "4689439" "4788502" "4827737" "4884410" "4974113" "5138383" "5235282" "5278503" "5426366" "5596303" "5644855" "5704967" "5731939" "6020803" "6097187" "6147844" "6212904" "6456073" "6680662" "6717781" "6727699" "6753748" "6806712" "6946936" "6990818").PN. OR ("2005/0077898" "2005/0204751" "2007/0182513" "2007/0271933" "2008/0236194" "2008/0242974" "5220800" "7064550" "7157999" "7395671").URPN.	US- PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
24	BRS	L32	885875	removable removeable	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B
25	BRS	L33	44239	current near2 lead	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B
26	BRS	L34	87	L32 with L33	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
27	BRS	L35	10627	superconducting near2 magnet	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B
28	BRS	L36	10845	liquid near2 helium	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
29	BRS	L37	193244 0	valve	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
30	BRS	L38	949	L36 same L37	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
31	BRS	L39	186	L35 and L38	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
32	BRS	L8	19	L6 and L7	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB
33	BRS	L12	2	L8 and L11	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
34	BRS	L14	2	L6 and L13	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB

	Type	L #	Hits	Search Text	DBs
35	BRS	L24	13	L23 same connector	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_T B
36	IS&R	L25	2	("5220800").PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_T B
37	BRS	L30	13	L29 same connector	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_T B
38	BRS	L40	2	L34 and L39	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_T B

	Type	L #	Hits	Search Text	DBs
39	BRS	L13	186	L7 and L11	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
40	IS&R	L41	486	(335/216,296-299,302- 306).CCLS.	US- PGPUB
41	BRS	L42	325	(superconducting near2 magnet).clm.	US- PGPUB
42	BRS	L43	172	(liquid near2 helium).clm.	US- PGPUB
43	BRS	L44	40	42 and 43	US- PGPUB
44	BRS	L45	95906	(valve or regulator).clm.	US- PGPUB
45	BRS	L46	10	44 and 45	US- PGPUB
46	BRS	L47	42263	(removable removeable).clm.	US- PGPUB
47	BRS	L48	66151	(connector (current near2 lead)).clm.	US- PGPUB
48	BRS	L49	1453	47 with 48	US- PGPUB
49	BRS	L50	3	43 same 45	US- PGPUB
50	BRS	L51	1	44 and 49	US- PGPUB